

Datasheet 6131301

4,5W Normale Filament klar E27 470lm 2700K


Our 4,5W filament standard lamp is the optimal replacement for traditional incandescent lamps due to its classic look. It is equipped with the latest 5th generation filament technology. Its color rendering with an RA value of 90 makes everything shine true to color. By removing the dimming function, it was possible to do without functionality not desired and thus offered even more attractive price.



Dimmable no

| | |
|-------------|---|
| 470 lm | luminous flux [lm] |
| 4,50 Watt | rated power |
| 40 Watt | equivalent incandescent lighting |
| 2700 K | colour temperature |
| Ra>90 | colour rendering |
| <6 sdcms | colour consistency |
| 300° | beam angle |
| E27 | base |
| A60 | outer bulb |
| klar | type of glass |
| 108 mm | length |
| 60 mm | diameter |
| IP20 | type of protection |
| -20° - 40°C | temperature range in operation |
| 0.4 | power factor |
| 230 V AC | voltage |
| 50/60 Hz | operating frequency |
| 37 mA | current |
| 5 kWh/1000h | energy consumption |
| <0,5 s | warm-up time up to 60% of the full light output |
| <0,5 s | starting time |
| Ø 15.000 h | nominal life time |
| L70B50 | rated life time L70/B50 |
| 0.7 | lumen maintenance factor at the end of the nominal life |

Spectral power distribution
in the range 180 - 800 nm



SIGOR
6131301

| | |
|---|----------|
| A | |
| B | |
| C | |
| D | |
| E | |
| F | F |
| G | |

5
kWh/1000h

2019/2015

as of: 23.11.2022

